

**BURNOUT, WORKPLACE
CONDITIONS, AND THE “JAPA
SYNDROME”: A SOLUTION
JOURNALISM PERSPECTIVE ON
HEALTH WORKERS RETENTION IN
NIGERIA**

Rwang Juliet Jok

Postgraduate Student
Department of Mass Communication
Plateau State University Bokokos, Plateau
State, Nigeria
Email: julietjok2026@gmail.com.
Phone No: +2348136838709

Plateau State University Journal of
Communication Studies (PLASUJOCS)
2026, Vol. 3(1)

©2026 by the Department of Mass
Communication, Plateau State University
Bokokos, Nigeria.

<http://journals.plasu.edu.ng/index.php/pjcs>

**Asema James Adorought, B. Pharm,
MD**

Avicenna Tajik State Medical University,
Rudaki Avenue 139, Dushanbe 734003,
Republic of Tajikistan;
Email: ask4asemadoo@gmail.com
Contact No: +992976368118

Abstract

Nigeria's healthcare system is facing a critical workforce crisis driven by the intersection of occupational burnout, poor workplace conditions, and the persistent migration of health professionals, commonly termed the “Japa syndrome.” This study adopts a solution journalism perspective to move beyond problem identification and examine practical, evidence-based strategies for improving health worker retention. Drawing on empirical literature and policy analyses, burnout is conceptualized not only as an individual psychological response but also as a systemic outcome of structural inefficiencies, including inadequate remuneration, excessive workload, limited career progression, and weak institutional support. These conditions have significantly contributed to the increasing emigration of skilled professionals, thereby exacerbating healthcare delivery challenges in Nigeria. The paper further explores existing interventions, including workforce welfare reforms, improved working environments, policy restructuring, and international collaboration frameworks. It argues that while these solutions are promising, their success depends largely on effective implementation, sustained political commitment, and accountability mechanisms within the health sector. Additionally, aligning national strategies with global health workforce trends is essential for long-term sustainability. The study concludes that addressing health worker retention in Nigeria requires a comprehensive, system-wide approach that integrates structural reforms with targeted strategies to enhance worker wellbeing, motivation, and professional satisfaction. Such an approach is crucial for strengthening the resilience and performance of the healthcare system.

Keywords: Burnout, Health Workforce, Migration, Workplace Conditions, Nigeria

INTRODUCTION

The effectiveness and sustainability of any healthcare system depend fundamentally on the strength, distribution, and wellbeing of its workforce. In Nigeria, this foundation has become increasingly fragile due to a complex interplay of internal systemic deficiencies and external migration pressures. Over the past decade, the country has witnessed an unprecedented outflow of skilled health professionals, particularly physicians and nurses, seeking improved working conditions and quality of life abroad. This phenomenon, colloquially described as the “Japa syndrome,” reflects more than individual career choices; it is a structural response to persistent institutional failure (Ejimonu, 2026). At the core of this crisis lies the issue of burnout, which the World Health Organization defines as a syndrome resulting from chronic workplace stress that has not been successfully managed (WHO, 2019). In Nigeria, burnout has reached critical levels, with prevalence rates in some studies approaching 70% among healthcare workers (Nwosu et al., 2021). These figures highlight a workforce operating under sustained physical, emotional, and psychological strain. Importantly, burnout does not occur in isolation; it is deeply embedded within the broader context of workplace realities,

including inadequate infrastructure, workforce shortages, and weak institutional support systems. This paper advances the argument that burnout and migration are not separate phenomena but interconnected outcomes of systemic dysfunction. By adopting a solution journalism approach, it shifts the focus from merely documenting problems to examining practical, evidence-based responses that have the potential to improve health worker retention in Nigeria.

Theoretical Framework: Solution Journalism

This study is anchored on the Solution Journalism Framework, which provides the conceptual lens for examining the interconnected challenges of burnout, poor workplace conditions, and the “Japa syndrome” among healthcare workers in Nigeria. Unlike conventional approaches that primarily emphasize identifying and describing societal problems, solution journalism investigates credible, evidence-based responses to those problems while maintaining rigorous journalistic standards. It therefore shifts attention from narratives of failure toward critical examinations of interventions that have demonstrated measurable outcomes, thereby promoting informed decision-making and constructive

public discourse (McIntyre & Gyldensted, 2018). The concept of solution journalism emerged from the recognition that traditional problem-focused reporting can contribute to public pessimism and policy inertia. McIntyre and Gyldensted (2018) argue that solution journalism goes beyond reporting positive stories by systematically investigating how particular responses work, the evidence supporting them, and the limitations that may affect their application. Consequently, the approach is distinguished by empirical evidence, critical inquiry, transparency, and balance rather than advocacy. The framework is founded on four interrelated principles: response orientation, evidence, insight, and recognition of limitations. These principles require journalists and researchers to identify practical responses, evaluate their effectiveness using verifiable evidence, explain why they succeed or fail, and acknowledge contextual constraints rather than presenting perfect solutions (McIntyre, 2019; Solutions Journalism Network, 2023). A defining characteristic of solution journalism is its distinction from advocacy journalism. Whereas advocacy journalism seeks to persuade audiences toward a specific position, solution journalism maintains editorial independence by critically

evaluating interventions using empirical evidence without endorsing particular actors or institutions (McIntyre & Lough, 2021). In the context of Nigeria's health sector, this framework provides an appropriate lens for analysing burnout, workplace conditions, and the 'Japa syndrome' while simultaneously evaluating evidence-based strategies capable of improving health worker retention. It aligns with global efforts to strengthen resilient health systems through workforce welfare, supportive leadership, policy reform, and sustainable workforce planning (World Health Organization, 2023).

Research Design and Methods

This study adopted a qualitative narrative literature review supported by documentary analysis to examine the relationship between burnout, workplace conditions, and the "Japa syndrome" among healthcare workers in Nigeria from a solution journalism perspective. This design is appropriate because it enables the synthesis of existing empirical evidence and policy documents to identify practical, evidence-based strategies for improving health worker retention (Baumeister & Leary, 1997; Snyder, 2019). Data were obtained from peer-reviewed journal articles, policy documents, and reports published by reputable institutions,

including the World Health Organization (WHO) and Nigeria's Federal Ministry of Health. Electronic databases such as PubMed, Scopus, Google Scholar, and African Journals Online (AJOL) were searched using keywords including *burnout*, *health workforce retention*, *workplace conditions*, *health worker migration*, *Japa syndrome*, and *Nigeria*. Only English-language studies and policy documents directly related to the study objectives were included, while publications lacking sufficient relevance or methodological clarity were excluded. The retrieved literature was analysed using thematic documentary analysis, whereby evidence was critically synthesized into major themes relating to burnout, workplace conditions, migration drivers, policy responses, and retention strategies. Consistent with the principles of solution journalism, the analysis focused not only on identifying structural challenges but also on examining evidence-based responses and the conditions required for their successful implementation (World Health Organization [WHO], 2019; Nwosu et al., 2021).

Burnout and Workplace Realities in Nigeria's Health Sector

Burnout among healthcare professionals in Nigeria is best understood as a structural rather than purely individual phenomenon. The everyday working environment of many health workers is characterized by excessive patient loads, chronic understaffing, and prolonged working hours, often without commensurate compensation. In such conditions, emotional exhaustion becomes almost inevitable. Empirical studies have consistently demonstrated a strong association between workload intensity and burnout, with healthcare workers reporting fatigue, reduced motivation, and declining professional satisfaction (Ozumba et al., 2026). Beyond workload, the physical conditions under which care is delivered significantly exacerbate this burden. Many public health facilities in Nigeria operate with outdated equipment, inconsistent electricity supply, and shortages of essential medical consumables. These limitations not only compromise patient care but also contribute to a sense of professional frustration and helplessness among healthcare workers. Evidence indicates that poor workplace infrastructure is one of the strongest predictors of burnout in the Nigerian context (Noel et al., 2026). Psychosocial stressors

further deepen the crisis. Healthcare professionals are frequently exposed to high-stakes clinical situations, including preventable morbidity and mortality arising from systemic inadequacies. The absence of structured support systems - such as counseling services or peer-support mechanisms - means that these experiences accumulate over time, leading to

depersonalization and emotional detachment. In this sense, burnout reflects not merely an individual psychological response but a broader institutional failure to safeguard worker wellbeing. To contextualize these dynamics, Table 1 summarizes the major drivers of burnout and their implications within Nigeria’s health sector.

Table 1: Structural Drivers of Burnout Among Nigerian Healthcare Workers

Driver	Contextual Manifestation	Implication
Workload Pressure	High patient-to-doctor ratios	Physical and mental exhaustion
Infrastructure Deficit	Poor equipment and unreliable utilities	Reduced efficiency and frustration
Remuneration Gaps	Low and delayed salaries	Job dissatisfaction
Psychosocial Stress	Exposure to critical cases without support	Emotional exhaustion
Governance	Poor leadership and policy	
Weaknesses	Inconsistency	Reduced morale and engagement

The “Japa Syndrome” as a Structural Outcome

The migration of healthcare professionals from Nigeria is often framed as an individual decision; however, such a perspective obscures the structural forces that shape this phenomenon. Migration is more accurately

understood as the outcome of interacting push and pull factors. On the one hand, domestic conditions - including poor remuneration, limited career advancement opportunities, and unsafe working environments - serve as powerful push factors. On the other hand, high-income countries offer attractive pull factors such as

competitive salaries, advanced healthcare infrastructure, and improved work-life balance. Burnout plays a critical mediating role in this process. Healthcare workers experiencing chronic stress and dissatisfaction are more likely to seek opportunities elsewhere. As migration increases, the remaining workforce becomes further overstretched, thereby intensifying burnout and perpetuating a vicious cycle of attrition. This feedback loop has significant implications for healthcare delivery, including longer patient waiting times,

reduced quality of care, and diminished training capacity for future professionals (BMJ Open, 2023). The economic consequences of this trend are equally significant. The emigration of trained health professionals represents a substantial loss of public investment, as the cost of education and training is effectively transferred to destination countries without corresponding returns. Table 2 provides a comparative overview of the structural forces driving this migration.

Table 2: Comparative Analysis of Push and Pull Factors in Health Worker Migration

Push Factors (Nigeria)	Pull Factors (Destination Countries)
Low and irregular salaries	Higher and stable income
Poor working conditions	Advanced healthcare infrastructure
Limited professional growth	Career development opportunities
High occupational stress	Better work-life balance
Weak institutional support	Structured professional systems

Reframing the Crisis Through Solution Journalism

Conventional narratives surrounding Nigeria’s health workforce crisis tend to

emphasize deficits, often leading to pessimism and policy inertia. In contrast, a solution journalism approach seeks to identify and analyze responses that have demonstrated effectiveness, thereby offering

a more constructive pathway forward. This perspective does not diminish the severity of the crisis but rather situates it within a framework of actionable change. One of the most consistently supported interventions is the improvement of health worker welfare. Evidence suggests that timely and adequate remuneration, coupled with comprehensive benefits such as health insurance, housing support, and hazard allowances, can significantly enhance job satisfaction and reduce migration intentions (Ejimonu, 2026). However, the effectiveness of these measures depends critically on consistency and transparency in implementation. Equally important is the need to address workload imbalances through strategic workforce planning. This includes not only the recruitment of additional health workers but also their equitable distribution across urban and rural areas. Task-shifting, whereby certain responsibilities are delegated to trained non-physician personnel, has proven effective in similar resource-constrained settings by optimizing available human resources and reducing individual workload burdens. Improving the physical and organizational work environment is another crucial dimension of retention strategies. Investments in infrastructure, equipment, and

occupational safety contribute not only to better patient outcomes but also to a sense of professional dignity among healthcare workers. Research indicates that supportive leadership and positive organizational culture are strongly associated with lower levels of burnout (Noel et al., 2026). The integration of psychosocial support systems represents an often overlooked yet essential component of workforce retention. Burnout prevention programs, counseling services, and peer-support networks can help healthcare workers manage stress and maintain emotional resilience. While these interventions may not address structural deficiencies directly, they play a critical role in mitigating their immediate effects.

Policy and Global Dimensions of Retention

Addressing Nigeria's health workforce crisis requires engagement with both national and global policy frameworks. At the national level, policies aimed at workforce retention often suffer from implementation gaps, insufficient funding, and weak accountability mechanisms. Strengthening governance structures and ensuring policy continuity are therefore essential for achieving meaningful outcomes. At the global level, the ethical implications of health worker migration have become increasingly prominent. While

individuals have the right to seek better opportunities, large-scale migration from low- and middle-income countries raises concerns about equity and sustainability. Bilateral agreements between Nigeria and destination countries, as well as adherence to international guidelines on ethical recruitment, can help balance these competing interests.

Discussion

The findings of this review have significant implications for the attainment of Universal Health Coverage (UHC) and Sustainable Development Goal 3 (SDG 3), both of which depend on the availability of a resilient, motivated, and equitably distributed health workforce. Persistent burnout, poor workplace conditions, and the continued migration of skilled healthcare professionals weaken service delivery, compromise patient safety, and reduce the capacity of the health system to respond effectively to public health emergencies. Addressing these structural challenges should therefore be viewed not only as a workforce issue but also as a national health security priority (World Health Organization [WHO], 2023). The evidence further suggests that the consequences of health worker migration are

disproportionately experienced in rural and underserved communities, where existing shortages of healthcare personnel continue to widen inequities in access to quality healthcare services. Sustainable workforce planning should therefore extend beyond recruitment to include retention incentives, equitable deployment, continuous professional development, supportive leadership, and improved workplace conditions. Experiences from countries such as Rwanda, Ghana, and Ethiopia demonstrate

that sustained investments in health workforce development, strengthened primary healthcare systems, and coherent national workforce policies can significantly improve workforce stability and service delivery, although these strategies require adaptation to Nigeria's unique socioeconomic and institutional context (Asamani et al., 2019; WHO, 2023).

The interrelationship between burnout, workplace conditions, and the Japa syndrome underscores the complexity of Nigeria's health workforce crisis. These issues are deeply interconnected and cannot be effectively addressed in isolation. The evidence presented in this paper suggests that while the challenges are substantial, they are

not insurmountable. A key insight from the solution journalism perspective is that the primary barrier to progress is not the absence of viable solutions but the failure to implement them consistently and effectively. Incremental improvements in welfare, infrastructure, and institutional support can produce significant cumulative effects on retention. However, such improvements require sustained political will, stakeholder engagement, and a commitment to evidence-based policymaking.

Conclusion

Burnout, poor workplace conditions, and the "Japa syndrome" remain significant threats to the resilience and sustainability of Nigeria's healthcare system. This review contributes to the growing body of knowledge by synthesizing evidence on these interconnected challenges through a solution journalism perspective, demonstrating that meaningful improvements in health worker retention require coordinated structural reforms rather than isolated interventions. Strengthening workforce welfare, improving working environments, promoting effective policy implementation, and investing in long-term workforce planning are essential for achieving Universal Health Coverage and

Sustainable Development Goal 3. Future research should evaluate the effectiveness of retention policies across different healthcare settings and explore innovative approaches that can strengthen workforce resilience within Nigeria and other low- and middle-income countries (WHO, 2023; Snyder, 2019). Burnout and the Japa syndrome represent critical threats to the stability and effectiveness of Nigeria's healthcare system. Far from being isolated phenomena, they are manifestations of deeper structural challenges that demand comprehensive and coordinated responses. By shifting the focus from problem identification to solution-oriented analysis, this paper highlights the potential for evidence-based interventions to improve health worker retention.

Ultimately, the sustainability of Nigeria's health system depends on its ability to create an environment in which healthcare professionals can thrive. This requires not only policy reform but also a fundamental reorientation toward valuing and supporting the human resources at the heart of healthcare delivery.

References

- Asamani, J. A., Amertil, N. P., & Chebere, M. M. (2019). Towards a resilient health workforce in Ghana. *Human Resources for Health*, 17(1), 1–10.
- Baumeister, R. F., & Leary, M. R. (1997). Writing narrative literature reviews. *Review of General Psychology*, 1(3), 311–320.
- BMJ Open. (2023). Burnout among Nigerian doctors: Prevalence and associated factors.
- Ejimonu, E. C. (2026). Welfare first: Retaining Nigeria's health workforce in an era of global competition. *Athena Centre for Policy and Leadership*.
- McIntyre, K. (2019). Solutions journalism: The effects of including solution information in news stories about social problems. *Journalism Practice*, 13(1), 16–34. <https://doi.org/10.1080/17512786.2017.1409647>
- McIntyre, K., & Gyldensted, C. (2018). Positive psychology as a theoretical foundation for constructive journalism. *Journalism Practice*, 12(6), 662–678. <https://doi.org/10.1080/17512786.2018.1472527>
- McIntyre, K., & Lough, K. (2021). Toward a clearer conceptualization and operationalization of solutions journalism. *Journalism*, 22(6), 1558–1573. <https://doi.org/10.1177/1464884920960384>
- Noel, N., et al. (2026). Prevalence and predictors of burnout among healthcare workers in Nigeria. *Nigerian Medical Journal*.
- Nwosu, A. D. G., et al. (2021). Burnout and presenteeism among healthcare workers in Nigeria. *Journal of Occupational Health*, 63(1).
- Ozumba, P. J., et al. (2026). Burnout and work stress among healthcare professionals in Nigeria. *Texila International Journal of Medicine*.
- Solutions Journalism Network. (2023). The solutions journalism toolkit. <https://www.solutionsjournalism.org/>
- Snyder, H. (2019). Literature review as a research methodology: An overview and guidelines. *Journal of Business Research*, 104, 333–339. <https://doi.org/10.1016/j.jbusres.2019.07.039>

World Health Organization. (2019). Burn-out an occupational phenomenon: International Classification of Diseases (11th Revision). <https://www.who.int>

World Health Organization. (2023). Health workforce: Working for health and well-being. Geneva, Switzerland: World Health Organization.